

B.lux

Anvil System





B.lux

Fabricantes de luminarias de diseño contemporáneo

Nuestra aventura empresarial comienza en 1980. Por aquel entonces, el concepto de diseño era aún vagamente interpretado en nuestro entorno, Euskadi. Esta circunstancia, junto a un escasísimo mercado local para este tipo de producto, nos llevó ya por aquel entonces a la internacionalización.

Salimos al mercado internacional con unos inmejorables compañeros de viaje: los diseñadores de nuestros productos. En 1980-1981 trabajamos con Guillermo Capdevilla, uno de los promotores del diseño en Euskadi. Él fue el creador de Blux System, una colección de luminarias que dio un giro en la estrategia de producto de B.lux. La nostalgia y las tendencias del mercado nos llevan hoy, 35 años después, a reeditar esta familia de luminarias de formas sencillas, que siguen las directrices de la escuela inglesa de diseño. Regresamos, con orgullo, a nuestros orígenes.

La ubicación de nuestras instalaciones en un enclave natural privilegiado también deja huella en las luminarias que fabricamos.

Luminarias como Keshi emplean materiales muy cotizados a nivel internacional, como el mármol negro de las canteras de Markina, ubicadas en las inmediaciones de nuestra fábrica, de 5.000 m².

Es precisamente esa condición de fabricantes, tan poco habitual hoy en día, la que nos permite imprimir un carácter especial a nuestros productos, a los que aplicamos los máximos procesos de fabricación en nuestras instalaciones.

También nuestra proximidad a Bilbao, convertida hoy en referente internacional de arquitectura y diseño, ha moldeado nuestro catálogo de iluminación, gracias a nuestra participación en proyectos de iluminación de referencia en la Ciudad del Diseño, según la UNESCO.

Es así como todas y cada una de las luminarias que componen nuestro catálogo tienen una historia y un por qué. Una historia que refuerza nuestra identidad, forjada a lo largo de 35 años de historia.



Descripción:

Sistema de iluminación empotrado, de superficie o de suspensión, fabricado en aluminio extruido. Permite su instalación con módulos de luz continua LED con difusor opal (LED Line), con módulos LED formados por cuatro o dos spots (LED Module), así como con proyectores LED (LED Spotlight y LED Spot S, disponibles con anillos antideslumbrantes y panel de abeja). Anvil System también permite incorporar difusores esféricos de vidrio blanco opal, que pueden ser fijados al carril (Sphere C) o estar suspendidos (Sphere S). El perfil de Anvil System está disponible en varios acabados: blanco mate, negro mate, madera de roble natural, y nogal natural.

Materiales:

Aluminio.

Acabados:

Blanco mate



Negro mate



Roble natural



Nogal natural



Certificaciones:




IP20

Clase I

110 - 230V

CODE:

- 851940 Anvil System Suspension/Surface Profile Black (1M)
- 851941 Anvil System Suspension/Surface Profile White (1M)
- 851942 Anvil System Suspension/Surface Profile Oak (1M)
- 851943 Anvil System Suspension/Surface Profile Walnut (1M)




Light source:

LED Line (LED included)



LED Module (LED included)




LED Spotlight (LED included)



LED Spot S (LED and driver included)




Sphere C/S (LED and driver included)



CODE:

- 851950 Anvil System Recessed Profile Black (1M)
- 851951 Anvil System Recessed Profile White (1M)




Light source:

LED Line (LED included)



LED Module (LED included)





LED Spotlight (LED included)



LED Spot S (LED and driver included)



Sphere C/S (LED and driver included)





* Minimum depth: 110mm.



Anvil System LED Line

Módulo de luz continua LED con difusor opalino, para su integración en el sistema de iluminación Anvil System.



Drivers:

CODE:

- 851993 Anvil System Driver LED Line 23W-45W 450mA 230V
- 851994 Anvil System Driver LED Line DIM 1/10V - 15W-45W 450mA 230V
- 851995 Anvil System Driver LED Line DIM PUSH - DALI 23W-45W 450mA 230V
- 851997 Anvil System Driver LED Line 21W 450mA 110-230V
- 851998 Anvil System Driver LED Line DIM 1/10V 23W 450mA 110-230V
- 851999 Anvil System Driver LED Line DIM PUSH - DALI 21W 450mA 230V


Light source:

CODE:

- 851840C Anvil System LED Line C420 Surface/Recessed
- 851840S Anvil System LED Line S420 Suspension

LED Line (LED included) **A+**

LED 7,8W 1260lm 450mA 3000K CRI80




CODE:

- 851850C Anvil System LED Line C560 Surface/Recessed
- 851850S Anvil System LED Line S560 Suspension

LED Line (LED included) **A+**

LED 10,5W 1590lm 450mA 3000K CRI80




CODE:

- 851860C Anvil System LED Line C700 Surface/Recessed
- 851860S Anvil System LED Line S700 Suspension

LED Line (LED included) **A+**

LED 13,1W 2010lm 450mA 3000K CRI80




CODE:

- 851870C Anvil System LED Line C840 Surface/Recessed
- 851870S Anvil System LED Line S840 Suspension

LED Line (LED included) **A+**

LED 15,7W 2430lm 450mA 3000K CRI80




CODE:

- 851880C Anvil System LED Line C1120 Surface/Recessed
- 851880S Anvil System LED Line S1120 Suspension


LED Line (LED included) **A+**

LED 21W 3180lm 450mA 3000K CRI80






Lense 38°





Lense 60°



Anvil System LED Module

Módulo LED dotado de cuatro o dos spots, para su integración en el sistema de iluminación Anvil System. Acabados: blanco mate o negro mate.



CODE:

- 851600 Anvil System LED Module 4 38° Black
- 851601 Anvil System LED Module 4 38° White
- 851610 Anvil System LED Module 4 60° Black
- 851611 Anvil System LED Module 4 60° White

CODE:

- 851620 Anvil System LED Module 2 38° Black
- 851621 Anvil System LED Module 2 38° White
- 851630 Anvil System LED Module 2 60° Black
- 851631 Anvil System LED Module 2 60° White

Light source:

LED Module (LED included) **A+**
 LED 4 x 4,5W 2200lm 250mA 3000K CRI80
 Lense: 38°, 60°



Light source:

LED Module (LED included) **A+**
 LED 2 x 4,5W 1100lm 250mA 3000K CRI80
 Lense: 38°, 60°



Drivers:

CODE:

- 851996 Anvil System Driver LED Module 18W-54W 250mA 230V
- 851991 Anvil System Driver LED Module DIM 1/10V 9W-72W 250mA 230V
- 851992 Anvil System Driver LED Module DIM PUSH - DALI 36W-54W 250mA 230V
- 851989 Anvil System Driver LED Module DIM PUSH - DALI 13,5W - 18W 250mA 230V



Light source:

LED Spot (LED and driver included)


A+




LED 4,5W 546lm 250mA 3000K CRI80 230V

Lense: 38°, 60°

Lense 38°




Lense 60°



Anvil System LED Spotlight

Proyectores LED , para su integración en el sistema de iluminación Anvil System. Acabados: blanco mate o negro mate.




CODE:

- 851700 Anvil System Spotlight S-38° Black
- 851701 Anvil System Spotlight S-38° White
- 851702 Anvil System Spotlight S-60° Black
- 851703 Anvil System Spotlight S-60° White
- 851710 Anvil System Spotlight M-38° Black
- 851711 Anvil System Spotlight M-38° White
- 851712 Anvil System Spotlight M-60° Black
- 851713 Anvil System Spotlight M-60° White
- 851720 Anvil System Spotlight L-38° Black
- 851721 Anvil System Spotlight L-38° White
- 851722 Anvil System Spotlight L-60° Black
- 851723 Anvil System Spotlight L-60° White

Accessories:


CODE:

- 851790 Anvil System Spotlight Anti-Glare Ring Black
- 851791 Anvil System Spotlight Anti-Glare Ring White



CODE:

- 851792 Anvil System LED Spot Ring + Honeycomb Black
- 851793 Anvil System LED Spot Ring + Honeycomb White





Light source:


LED Spot (LED and driver included) **A+**




LED 4,5W 546lm 250mA 3000K CRI80 230V

Lenze: 38°, 60°

Lenze 38°




Lenze 60°



Anvil System LED Spot S

Proyectores LED suspendidos, para su integración en el sistema de iluminación Anvil System. Acabados: blanco mate o negro mate.




CODE:

- 851750 Anvil System LED Spot S-38° Black
- 851751 Anvil System LED Spot S-38° White
- 851752 Anvil System LED Spot S-60° Black
- 851753 Anvil System LED Spot S-60° White

Accessories:


CODE:

- 851790 Anvil System Spotlight Anti-Glare Ring Black
- 851791 Anvil System Spotlight Anti-Glare Ring White



CODE:

- 851792 Anvil System LED Spot Ring + Honeycomb Black
- 851793 Anvil System LED Spot Ring + Honeycomb White







Light source:

Sphere C (LED included)

A+




LED 3,2W 350lm 350mA 3000K CRI80 110-230V



Anvil System Sphere C

Difusor esférico de vidrio blanco opal, fijado al carril de Anvil System. Partes metálicas acabadas en blanco mate, o negro mate.



CODE:

851730 Anvil System Sphere C Black

851731 Anvil System Sphere C White





◇ Light source:

Sphere S (LED included)


A+

LED 3,2W 350lm 350mA 3000K CRI80 110-230V



Anvil System Sphere S

Difusor esférico de vidrio blanco opal, suspendido del carril de Anvil System. Partes metálicas acabadas en blanco mate, o negro mate.



CODE:

851740 Anvil System Sphere S Black



851741 Anvil System Sphere S White



CODE:

851960 Anvil System Cover Profile Black (1M)


851961 Anvil System Cover Profile White (1M)



CODE:

851970 Anvil System Flat Cover Profile Black (1M)


851971 Anvil System Flat Cover Profile White (1M)



CODE:

851930 Anvil System 180° Angle

180°



CODE:


851920 Anvil System 135° Angle Black

851921 Anvil System 135° Angle White

851925 Anvil System 135° Angle Recessed Black

851926 Anvil System 135° Angle Recessed White

135°



CODE:


851910 Anvil System 90° Angle Black

851911 Anvil System 90° Angle White

851915 Anvil System 90° Angle Recessed Black

851916 Anvil System 90° Angle Recessed White


90°



***Special angles, under request**


CODE:

851900 Anvil System End Cap Black (2 un.)
851901 Anvil System End Cap White (2 un.)




CODE:

851908 Anvil System Recessed End Cap Black (2 un.)
851909 Anvil System Recessed End Cap White (2 un.)




CODE:

851906 Anvil System LED End Cap Black (2 un.)
851907 Anvil System LED End Cap White (2 un.)




CODE:

851905 Anvil System Wall fixation



CODE:

851980 Anvil System Current Supply Black
851981 Anvil System Current Supply White
851985 Anvil System DIM Current Supply Black
851986 Anvil System DIM Current Supply White




CODE:

851990 Anvil System Single Suspension




Do it yourself

1. Define the dimensions.



Do it yourself


2. Choose the profile, and the version.




Do it yourself

3. Choose the joints.


Anvil System 180° Angle



Anvil System 90° Angle




Anvil System 135° Angle




4. Choose the final cover.


4.a. Anvil System Surface End Cap




4.c. Anvil System Wall fixation



4.b. Anvil System Surface LED End Cap




4.d. Anvil System Recessed End Cap




Do it yourself

5. Choose the function.



5.a. Suspension



5.c. Recessed



5.b. Surface



6. Choose the light source.

◇ Light source:

LED Line (LED included)	A+	
LED Module 4/2 (LED included)	A+	
LED Spotlight (LED included)	A+	
LED Spot (LED included)	A+	
Sphere C/S (LED included)	A+	

7. Dimming options.


1-10V

Push DIM

DALI Control

Do it your self

8. Define the circuits.




Do it yourself

9. Define the current supply.

Anvil System Current Supply
Anvil System DIM Current Supply

Anvil System Single Suspension



B.lux

B.LUX S.A.

Pal. Ind. Okamika, pab. 1
48289 Gizaburuaga (Bizkaia)

T. (+34) 94 682 72 72

F. (+34) 94 682 49 02

info@grupoblux.com

www.grupoblux.com